

Table 12. Tuberculosis Case Rates per 100,000 Population by Race/Ethnicity, Sex, and Age: United States, 2000

Race/Ethnicity and Sex	Age Group						
	All Ages	Under 5	5 - 14	15 - 24	25 - 44	45 - 64	65+
Total Cases	5.8	2.8	1.0	4.1	6.6	7.5	9.9
White, non-Hispanic	1.8	0.6	0.1	0.5	1.4	2.4	4.7
Male	2.5	0.6	0.2	0.5	1.9	3.7	6.9
Female	1.2	0.6	0.1	0.5	1.0	1.2	3.2
Black, non-Hispanic	15.1	6.5	2.6	8.5	18.5	24.9	27.5
Male	20.3	6.4	2.6	8.3	25.1	41.9	39.6
Female	10.3	6.6	2.5	8.6	12.7	11.1	19.7
Hispanic ¹	11.5	6.1	2.5	11.0	13.8	17.1	24.9
Male	14.5	6.0	2.2	13.0	18.5	23.7	34.4
Female	8.4	6.1	2.8	8.9	8.9	11.0	18.1
American Indian/Alaskan Native	11.3	10.5	2.3	3.8	10.2	19.9	36.0
Male	13.5	9.3	3.0	4.8	12.1	26.3	47.2
Female	9.1	11.8	1.5	2.7	8.3	14.2	27.8
Asian/Pacific Islander	32.1	7.5	3.6	23.0	34.7	42.7	93.0
Male	37.4	7.7	3.0	21.4	38.6	53.2	142.4
Female	27.2	7.2	4.2	24.6	31.1	33.6	57.1

¹Persons of Hispanic origin may be of any race.

Note: Denominators for computing rates were extrapolated to the April 2000 population based on U.S. Census Bureau July 1, 2000, population estimates.

See Surveillance Slide #8.

Note: The full report is also available on the CDC Division of Tuberculosis Elimination Web Site: www.cdc.gov/nchstp/tb.

Date: February 1, 2002